

Interventional Radiology 2024 Measure Specifications

Measure	Measure Title	Measure Description	Measure Code
Number			Changes/Notes
24	Communication with the	Percentage of patients aged	Added
	Physician or Other Clinician	50 years and older treated for	Denominator
	Managing On-Going Care	a fracture with documentation	Coding, ICD-10-
	Post-Fracture for Men and	of communication, between	CM (Option 1 and
	Women Aged 50 Years and	the physician treating the	2): M80.00XA,
	Older	fracture and the physician or	M80.011A,
		other clinician managing the	M80.012A,
	Measure Specification	patient's on-going care, that a	M80.019A,
		fracture occurred and that the	M80.021A,
		patient was or should be	M80.022A,
		considered for osteoporosis	M80.029A,
		treatment or testing. This	M80.031A,
		measure is submitted by the	M80.032A,
		physician who treats the	M80.039A,
		fracture and who therefore is	M80.041A,
		held accountable for the	M80.042A,
		communication.	M80.049A,
			M80.051A,
			M80.052A,
			M80.059A,
			M80.061A,
			M80.062A,
			M80.069A,
			M80.071A,
			M80.072A,
			M80.079A,
			M80.08XA,
			M80.0AXA,
			M80.0B1A,
			M80.0B1D,
			M80.0B1G,
			M80.0B1K,
			M80.0B1P,
			M80.0B1S,
			M80.0B2A,
			M80.0B2D,
			M80.0B2G,
			M80.0B2K,
			M80.0B2P,
			M80.0B2S,

 r	
	M80.0B9A,
	M80.0B9D,
	M80.0B9G,
	М80.0В9К,
	M80.0B9P,
	M80.0B9S,
	M80.80XA,
	M80.811A,
	M80.812A,
	M80.819A,
	M80.821A,
	M80.822A,
	M80.829A,
	M80.831A,
	M80.832A,
	M80.839A,
	M80.841A,
	M80.842A,
	M80.849A,
	M80.851A,
	M80.852A,
	M80.859A,
	M80.861A,
	M80.862A,
	M80.869A,
	M80.871A,
	M80.872A,
	M80.879A,
	M80.88XA,
	M80.8AXA,
	M80.8B1A,
	M80.8B1D,
	M80.8B1G,
	M80.8B1K,
	M80.8B1P,
	M80.8B1S,
	M80.8B2A,
	M80.8B2D,
	M80.8B2G,
	M80.8B2K,
	M80.8B2P,
	M80.8B2S,
	M80.8B9A,
	M80.8B9D,
	M80.8B9G,
	M80.8B9K,
	M80.8B9P,
	M80.8B9S,

	1		
			M97.01XA,
			M97.02XA,
			M97.11XA,
			M97.12XA,
			M97.21XA,
			M97.22XA,
			M97.31XA,
			M97.32XA,
			M97.41XA,
			M97.42XA
155	Falls: Plan of Care	Percentage of patients aged	Updated
		65 years and older with a	Instructions
	Measure Specification	history of falls that had a plan	clarifying
		of care for falls documented	telehealth
		within 12 months.	
259	Rate of Endovascular	Percent of patients	Updated
	Aneurysm Repair (EVAR) of	undergoing endovascular	Denominator
	Small or Moderate Non-	repair of small or moderate	Criteria
	Ruptured Infrarenal	non-ruptured infrarenal	Modifiers:
	Abdominal Aortic Aneurysms	abdominal aortic aneurysms	Telehealth
	(AAA) without Major	(AAA) that do not experience a	Modifier
	Complications (Discharged to	major complication	(including but not
	Home by Post-Operative Day	(discharged to home no later	limited to): GQ,
	#2)	than post-operative day #2).	GT, 95, POS 02,
			POS 10
	Measure Specification		
344	Rate of Carotid Artery	Percent of asymptomatic	Updated
	Stenting (CAS) for	patients undergoing CAS who	Denominator
	Asymptomatic Patients,	are discharged to home no	Criteria
	Without Major Complications	later than post-operative day	Modifiers:
	(Discharged to Home by Post-	#2.	Telehealth
	Operative Day #2)		Modifier
			(including but not
	Measure Specification		limited to): GQ,
			GT, 95, POS 02,
			POS 10
355	Unplanned Reoperation	Percentage of patients aged	Updated
	within the 30-Day	18 years and older who had	Denominator
	Postoperative Period	any unplanned reoperation	Criteria
		within the 30-day	Modifiers:
	Measure Specification	postoperative period.	Telehealth
			Modifier
			(including but not
			limited to): GQ,
			GT, 95, POS 02,
			POS 10

356	Unplanned Hospital Readmission within 30 Days of Principal Procedure <u>Measure Specification</u>	Percentage of patients aged 18 years and older who had an unplanned hospital readmission within 30 days of principal procedure.	Updated Denominator Criteria Modifiers: Telehealth Modifier (including but not limited to): GQ, GT, 95, POS 02, POS 10
357	Surgical Site Infection (SSI) Measure Specification	Percentage of patients aged 18 years and older who had a surgical site infection (SSI).	Updated Denominator Criteria Modifiers: Telehealth Modifier (including but not limited to): GQ, GT, 95, POS 02, POS 10
358	Patient-Centered Surgical Risk Assessment and Communication Measure Specification	Percentage of patients who underwent a non-emergency surgery who had their personalized risks of postoperative complications assessed by their surgical team <u>prior to surgery using a</u> <u>clinical data-based, patient-</u> <u>specific risk calculator</u> and who received personal discussion of those risks with the surgeon.	Added Denominator Coding, CPT: 22836, 22837, 22838, 27278, 58580, 61889, 61891, 61892, 0674T, 0675T, 0677T, 0679T Updated Denominator Criteria Modifiers: Telehealth Modifier (including but not limited to): GQ, GT, 95, POS 02, POS 10
374	Closing the Referral Loop: Receipt of Specialist Report <u>Measure Specification</u>	Percentage of patients with referrals, regardless of age, for which the referring clinician receives a report from the clinician to whom the patient was referred.	Updated Instructions clarifying telehealth

404	Anesthesiology Smoking Abstinence Measure Specification	The percentage of current smokers who abstain from cigarettes prior to anesthesia on the day of elective surgery or procedure.	Updated Denominator Criteria Modifiers: Telehealth Modifier (including but not limited to): GQ, GT, 95, POS 02, POS 10 Updated Clinical Recommendation Statements
409	Clinical Outcome Post Endovascular Stroke Treatment Measure Specification	Percentage of patients with a Modified Rankin Score (mRS) score of 0 to 2 at 90 days following endovascular stroke intervention.	Updated Denominator Criteria Modifiers (Submission Criteria 1 and 2): Telehealth Modifier (including but not limited to): GQ, GT, 95, POS 02, POS 10 Added Denominator Criteria (Submission Criteria 1): Denominator Exclusion: (M1236)
413	Door to Puncture Time for Endovascular Stroke Treatment Measure Specification	Percentage of patients undergoing endovascular stroke treatment who have a door to puncture time of 90 minutes or less.	Updated Denominator Criteria Modifiers: Telehealth Modifier (including but not limited to): GQ, GT, 95, POS 02, POS 10

418	Osteoporosis Management in	The percentage of women 50-	Added
(CBE	Women Who Had a Fracture	85 years of age who suffered a	Denominator
0053):		fracture and who had either a	Coding, ICD-10-
0053).	Magguro Specification		
	Measure Specification	bone mineral density (BMD)	CM (Option 1 and
		test or prescription for a drug	2): M80.0B1A,
		to treat osteoporosis in the six	M80.0B1D,
		months after the fracture.	M80.0B1G,
			M80.0B1K,
			M80.0B1P,
			M80.0B1S,
			M80.0B2A,
			M80.0B2D,
			M80.0B2G,
			M80.0B2K,
			M80.0B2P,
			M80.0B2S,
			M80.0B9A,
			M80.0B9D,
			M80.0B9G,
			M80.0B9K,
			M80.0B9P,
			M80.0B9S,
			M80.8B1A,
			M80.8B1D,
			M80.8B1G,
			M80.8B1K,
			M80.8B1P,
			M80.8B1S,
			M80.8B2A,
			M80.8B2D,
			M80.8B2G,
			M80.8B2K,
			M80.8B2P,
			M80.8B2S,
			M80.8B9A,
			M80.8B9A, M80.8B9D,
			M80.8B9G,
			M80.8B9K,
			M80.8B9P,
			M80.8B9S
			Added
			Denominator
			Coding, CPT or
			HCPCS (Option
			1): 98966, 98967,
			98968, 98970,
			98971, 98972,

			98980, 99211, 99421, 99422, 99423, 99443, 99442, 99443, 99457, G0071, G2010, G2012 Updated Denominator Exclusion codes for identifying advanced illness (Option 1 and 2) Updated Denominator Exclusion codes for identifying frailty (Option 1 and 2) Updated Instructions clarifying telehealth and Clinical Recommendation Statements
420	Varicose Vein Treatment with Saphenous Ablation: Outcome Survey <u>Measure Specification</u>	Percentage of patients treated for varicose veins (CEAP C2-S) who are treated with saphenous ablation (with or without adjunctive tributary treatment) that report an improvement on a disease specific patient reported outcome survey instrument after treatment.	Updated Denominator Criteria Modifiers: Telehealth Modifier (including but not limited to): GQ, GT, 95, POS 02, POS 10
421	Appropriate Assessment of Retrievable Inferior Vena Cava (IVC) Filters for Removal Measure Specification	Percentage of patients in whom a retrievable IVC filter is placed who, within 3 months post-placement, have a documented assessment for the appropriateness of continued filtration, device removal, or the inability to	Updated Denominator Criteria Modifiers: Telehealth Modifier (including but not limited to): GQ,

r			
		contact the patient with at least two attempts.	GT, 95, POS 02, POS 10
438	Statin Therapy for the Prevention and Treatment of Cardiovascular Disease Measure Specification	Percentage of the following patients - all considered at high risk of cardiovascular events - who were prescribed or were on statin therapy during the performance period: • All patients who were previously diagnosed with or currently have a diagnosis of clinical atherosclerotic cardiovascular disease (ASCVD), including an ASCVD procedure; OR • Patients aged 20 to 75 years who have ever had a low- density lipoprotein cholesterol (LDL-C) level ≥ 190 mg/dL or were previously diagnosed with or currently have an active diagnosis of familial hypercholesterolemia; OR • Patients aged 40 to 75 years with a diagnosis of diabetes; OR • Patients aged 40 to 75 with a 10-year ASCVD risk score of ≥ 20 percent.	Added Submission Criteria 4: Denominator Statement, Denominator Note, Denominator Criteria, Numerator Statement, Numerator Definition, Numerator Note, Numerator Note, Numerator Note, Numerator Options Updated Denominator Criteria 1, 2, and 3): Denominator Exclusion: (G9779, G9780) Updated Denominator Criteria 1, 2): Patient encounter during the performance period Updated Denominator Criteria 2 and 3) and Denominator Statement (Submission Criteria 2 and 3)

			Updated Numerator Statement (Submission Criteria 1, 2, and 3) and Numerator Note (Submission Criteria 1, 2, and 3) Updated Measure Description, Instructions, Rationale, and Clinical Recommendation Statements
465	Uterine Artery Embolization Technique: Documentation of Angiographic Endpoints and Interrogation of Ovarian Arteries <u>Measure Specification</u>	The percentage of patients with documentation of angiographic endpoints of embolization AND the documentation of embolization strategies in the presence of unilateral or bilateral absent uterine arteries.	Updated Denominator Criteria Modifiers: Telehealth Modifier (including but not limited to): GQ, GT, 95, POS 02, POS 10
487	Screening for Social Drivers of Health Measure Specification	Percent of patients 18 years and older screened for food insecurity, housing instability, transportation needs, utility difficulties, and interpersonal safety.	Deleted Denominator Coding, CPT: 99381, 99382, 99383, 99384, 99391, 99392, 99393, 99394 Added Denominator Coding, CPT or HCPCS: 92622, 97165, 97166, 97167, 97168, G0136 Updated Numerator Options: Performance Met

(M1207) and
Performance Not
Met (M1208)
Added Numerator
Options:
Denominator
Exception
(M1237)
(11237)
Updated
Denominator
Statement
Updated
Instructions
clarifying
telehealth