

## INTRODUCTION

Various forms of contrast media have been used to improve medical imaging. Their value has long been recognized, as attested to by their common daily use in imaging departments worldwide. Like all other pharmaceuticals, however, these agents are not completely devoid of risk. The major purpose of this manual is to assist radiologists in recognizing and managing the small but real risks inherent in the use of contrast media.

Adverse side effects from the administration of contrast media vary from minor physiological disturbances to rare severe life-threatening situations. Preparation for prompt treatment of contrast media reactions must include preparation for the entire spectrum of potential adverse events and include prearranged response planning with availability of appropriately trained personnel, equipment, and medications. Therefore, such preparation is best accomplished prior to approving and performing these examinations. Additionally, an ongoing quality assurance and quality improvement program for all radiologists and technologists and the requisite equipment are recommended. Thorough familiarity with the presentation and emergency treatment of contrast media reactions must be part of the environment in which all intravascular contrast media are administered.

Millions of radiological examinations assisted by intravascular contrast media are conducted each year in North America. Although adverse side effects are infrequent, a detailed knowledge of the variety of side effects, their likelihood in relationship to pre-existing conditions, and their treatment is required to insure optimal patient care.

As would be appropriate with any diagnostic procedure, preliminary considerations for

the referring physician and the radiologist include:

1. Assessment of patient risk versus potential benefit of the contrast assisted examination.
2. Imaging alternatives that would provide the same or better diagnostic information.
3. Assurance of a valid clinical indication for each contrast medium administration.

Because of the documented low incidence of adverse events, intravenous injection of contrast media may be exempted from the need for informed consent, but this decision should be based on state law, institutional policy, and departmental policy.

Usage Note: In this manual, the term “low-osmolality” in reference to radiographic iodinated contrast media is intended to encompass both low-osmolality and iso-osmolality media, the former having osmolality approximately twice that of human serum, and the latter having osmolality approximately that of human serum at conventionally used iodine concentrations for vascular injection. Also, unless otherwise obvious in context, this manual focuses on issues concerning radiographic iodinated contrast media.