



**Radiation Oncology Measure Specifications**

Measure Number	Title	Description	Code Changes/Notes
47	<b>Advance Care Plan</b>  <a href="#">Measure Spec</a>	Percentage of patients aged 65 years and older who have an advance care plan or surrogate decision maker documented in the medical record or documentation in the medical record that an advance care plan was discussed but the patient did not wish or was not able to name a surrogate decision maker or provide an advance care plan	<ul style="list-style-type: none"> <li>• Deleted Denominator Coding, CPT: <b>99201</b></li> <li>• Added Denominator Coding, CPT: <b>90791, 90832, 90834, 90837, 90845, 90846, 90847</b></li> <li>• Updated Instructions</li> <li>• Added Without Place of Service (POS) 23 to denominator criteria</li> </ul>
102	<b>Prostate Cancer: Avoidance of Overuse of Bone Scan for Staging Low Risk Prostate Cancer Patients</b>  <a href="#">Measure Spec</a>	Percentage of patients, regardless of age, with a diagnosis of prostate cancer at low (or very low) risk of recurrence receiving interstitial prostate brachytherapy, OR external beam radiotherapy to the prostate, OR radical prostatectomy, OR cryotherapy who did not have a bone scan performed at any time since diagnosis of prostate cancer	<ul style="list-style-type: none"> <li>• Added Denominator Coding, CPT: <b>55880</b></li> </ul>
104	<b>Prostate Cancer: Combination Androgen</b>	Percentage of patients, regardless of age, with a diagnosis of prostate cancer at high or very high risk of recurrence	<ul style="list-style-type: none"> <li>• No Significant Changes</li> </ul>

	<b>Deprivation Therapy for High Risk or Very High Risk Prostate Cancer</b> <a href="#">Measure Spec</a>	receiving external beam radiotherapy to the prostate who were prescribed androgen deprivation therapy in combination with external beam radiotherapy to the prostate	
110	<b>Preventive Care and Screening: Influenza Immunization</b> <a href="#">Measure Spec</a>	Percentage of patients aged 6 months and older seen for a visit between October 1 and March 31 who received an influenza immunization OR who reported previous receipt of an influenza immunization	<ul style="list-style-type: none"> <li>Deleted Denominator Coding, CPT: 99201</li> <li>Deleted Denominator Criteria Modifiers: <b>Without Telehealth</b></li> <li>Updated Denominator Note</li> <li>Updated Instructions</li> </ul>
111	<b>Pneumococcal Vaccination Status for Older Adults</b> <a href="#">Measure Spec</a>	Percentage of patients 65 years of age and older who have ever received a pneumococcal vaccine	<ul style="list-style-type: none"> <li>Deleted Denominator Coding, CPT: <b>99201</b></li> <li>Updated Denominator Note</li> <li>Updated Instructions</li> </ul>
112	<b>Breast Cancer Screening</b> <a href="#">Measure Spec</a>	Percentage of women 50 - 74 years of age who had a mammogram to screen for breast cancer	<ul style="list-style-type: none"> <li>Deleted Denominator Coding, CPT: <b>99201</b></li> <li>Updated Denominator Criteria: Denominator Exclusion: (G9898)</li> <li>Updated Instructions</li> <li>Added denominator exclusion codes for identifying frailty and advanced illness</li> </ul>
113	<b>Colorectal Cancer Screening</b> <a href="#">Measure Spec</a>	Percentage of patients 50 - 75 years of age who had appropriate screening for colorectal cancer	<ul style="list-style-type: none"> <li>Deleted Denominator Coding, CPT or HCPCS: <b>99201, 99211, G0402</b></li> <li>Updated Denominator Criteria: Denominator Exclusion: (G9901)</li> <li>Updated Numerator Instructions</li> <li>Updated Instructions and Rationale</li> </ul>

			<ul style="list-style-type: none"> <li>• Added denominator exclusion codes for identifying frailty and advanced illness</li> </ul>
128	<p><b>Preventive Care and Screening: Body Mass Index (BMI) Screening and Follow-Up Plan</b></p> <p><a href="#">Measure Spec</a></p>	<p>Percentage of patients aged 18 years and older with a BMI documented during the current encounter or during the previous six months AND with a BMI outside of normal parameters, a follow-up plan is documented during the encounter or during the previous six months of the current encounter</p> <p>Normal Parameters: Age 18 – 64 years BMI <math>\geq</math> 18.5 and <math>&lt;</math> 25 kg/m<sup>2</sup></p>	<ul style="list-style-type: none"> <li>• Deleted Denominator Coding, CPT: <b>99201</b></li> <li>• Added Numerator Options: Denominator Exception (G2181)</li> <li>• Updated Instructions</li> </ul>
130	<p><b>Documentation of Current Medications in the Medical Record</b></p> <p><a href="#">Measure Spec</a></p>	<p>Percentage of visits for patients aged 18 years and older for which the eligible professional attests to documenting a list of current medications using all immediate resources available on the date of the encounter. This list <b>must</b> include ALL known prescriptions, over-the-counters, herbals, and vitamin/mineral/dietary (nutritional) supplements AND <b>must</b> contain the medications' name, dosage, frequency and route of administration</p>	<ul style="list-style-type: none"> <li>• Deleted Denominator Coding, CPT or HCPCS: <b>92521, 92522, 92523, 92585, 96105, 99201, G0515</b></li> <li>• Added Denominator Coding, CPT: <b>92507, 92508, 92526</b></li> <li>• Updated Numerator Options: Denominator Exception (G8430)</li> <li>• Updated Numerator Statement, Numerator Definitions, and Numerator Note</li> <li>• Updated Measure Description, Instructions, Rationale, and Clinical Recommendation Statements</li> </ul>

134	<p><b>Preventive Care and Screening: Screening for Depression and Follow-Up Plan</b></p> <p><a href="#">Measure Spec</a></p>	<p>Percentage of patients aged 12 years and older screened for depression on the date of the encounter using an age appropriate standardized depression screening tool AND if positive, a follow-up plan is documented on the date of the positive screen</p>	<ul style="list-style-type: none"> <li>• <b>Removed NQF Number</b></li> <li>• <b>Deleted Denominator Coding, CPT: 99201</b></li> <li>• <b>Updated Denominator Criteria: Denominator Exclusion: (G9717)</b></li> <li>• <b>Updated Denominator Criteria, Denominator Definitions, and Denominator Note</b></li> <li>• <b>Updated Numerator Instructions and Numerator Definitions</b></li> <li>• <b>Updated Instructions, Rationale, and Clinical Recommendation Statements</b></li> </ul>
143	<p><b>Oncology: Medical and Radiation – Pain Intensity Quantified</b></p> <p><a href="#">Measure Spec</a></p>	<p>Percentage of patient visits, regardless of patient age, with a diagnosis of cancer currently receiving chemotherapy or radiation therapy in which pain intensity is quantified</p>	<ul style="list-style-type: none"> <li>• <b>Deleted Denominator Coding, CPT (Submission Criteria 1): 96402, 99201</b></li> <li>• <b>Deleted Denominator Criteria Modifiers (Submission Criteria 1): Without Telehealth</b></li> <li>• <b>Updated Denominator Note (Submission Criteria 2)</b></li> <li>• <b>Updated Instructions, Rationale, and Clinical Recommendation Statements</b></li> </ul>
144	<p><b>Oncology: Medical and Radiation – Plan of Care for Moderate to Severe Pain</b></p> <p><a href="#">Measure Spec</a></p>	<p>Percentage of visits for patients, regardless of age, with a diagnosis of cancer currently receiving chemotherapy or radiation therapy who report having pain with a documented plan of care to address pain</p>	<ul style="list-style-type: none"> <li>• <b>Added Submission Criteria 2</b></li> <li>• <b>Deleted Denominator Coding, ICD-10-CM (Submission Criteria 1): D49.5, Q85.00, Q85.01, Q85.02, Q85.03, Q85.09</b></li> <li>• <b>Deleted Denominator Coding, CPT (Submission Criteria 1): 96402, 99201</b></li> <li>• <b>Added Denominator Coding, ICD-10-CM (Submission Criteria 1): D47.01, D47.02, D47.09</b></li> </ul>

			<ul style="list-style-type: none"> <li>Deleted Denominator Criteria Modifiers (Submission Criteria 1): <b>Without Telehealth</b></li> <li>Updated Denominator Statement (Submission Criteria 1 and 2)</li> <li>Updated Denominator Statement (Submission Criteria 1 and 2), Updated Denominator Criteria (Submission Criteria 2), and Added Denominator Note (Submission Criteria 2)</li> <li>Updated Numerator Statement (Submission Criteria 2) and Added Numerator Instructions (Submission Criteria 2)</li> <li>Updated Instructions</li> </ul>
226	<p><b>Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention</b></p> <p><a href="#">Measure Spec</a></p>	Percentage of patients aged 18 years and older who were screened for tobacco use one or more times within 24 months <b>AND</b> who received tobacco cessation intervention if identified as a tobacco user	<ul style="list-style-type: none"> <li>Deleted Denominator Coding, CPT (Submission Criteria 1, 2, and 3): <b>99201</b></li> <li>Added Denominator Coding, CPT (Submission Criteria 1, 2, and 3): <b>97161, 97162, 97163</b></li> <li>Deleted Denominator Criteria Modifiers (Submission Criteria 1, 2, and 3): <b>Without Telehealth</b></li> <li>Updated Numerator Statement (Submission Criteria 1 and 3) and Numerator Note (Submission Criteria 1 and 3)</li> <li>Updated Measure Description and Instructions</li> </ul>
236	<p><b>Controlling High Blood Pressure</b></p> <p><a href="#">Measure Spec</a></p>	Percentage of patients 18-85 years of age who had a diagnosis of hypertension and whose blood pressure was adequately controlled (<140/90 mmHg) during the measurement period	<ul style="list-style-type: none"> <li>Removed NQF Number</li> <li>Deleted Denominator Coding, CPT: <b>99201, 99241, 99242, 99243, 99244, 99245</b></li> <li>Updated Denominator Criteria: Denominator Exclusion: (G9910, G2115, G2116)</li> <li>Added Denominator Criteria: Denominator Exclusion: (G2118)</li> </ul>

			<ul style="list-style-type: none"> <li>• Updated Denominator Statement and Denominator Note</li> <li>• Updated Numerator Note</li> <li>• Updated Measure Description, Instructions, and Clinical Recommendation Statements</li> <li>• Added denominator exclusion codes for identifying frailty and advanced illness</li> </ul>
317	<p><b>Preventive Care and Screening: Screening for High Blood Pressure and Follow-Up Documented</b></p> <p><a href="#">Measure Spec</a></p>	<p>Percentage of patients aged 18 years and older seen during the reporting period who were screened for high blood pressure AND a recommended follow-up plan is documented based on the current blood pressure (BP) reading as indicated</p>	<ul style="list-style-type: none"> <li>• Deleted Denominator Coding, CPT: <b>99201</b></li> <li>• Updated Denominator Statement and Denominator Definitions</li> <li>• Updated Numerator Statement, Numerator Definitions, and Numerator Note</li> <li>• Updated Measure Description and Instructions</li> </ul>